







# COMPRESSOR

|    | B/D |  | Cyl.   | ccm     | kW | PS | Compr. Ratio | Pos. |
|---|-----|---|--------|---------|----|----|--------------|------|
| <b>Compressor for KVP 25</b>  | K   | 50.00   | 1      |         |    |    |              | 1    |
| <b>Compressor</b>   | K   | 50.00   | 1      |         |    |    |              | 2    |
| <b>Compressor</b>   | K   | 52.00   | 1      |         |    |    |              | 3    |
| <b>Compressor</b>   | K   | 52.38   | 1      |         |    |    |              | 4    |
| <b>Compressor for KP 32</b>   | K   | 55.00   | 1      |         |    |    |              | 5    |
| <b>Compressor for trucks:</b><br>GAZ-66 66-02-4201010-10<br>GAZ-66 66-02-4201270<br>GAZ 4301 17.3509015<br>GAZ 3306 17.3509015  | K   | 60.00   | 1      | 107 ccm |    |    |              | 6    |
| <b>Compressor for tractors</b><br>MTZ-80 27.3509015<br>MTZ-82 27.3509015  | K   | 60.00   | 1      | 107 ccm |    |    |              |      |
| <b>Compressor for bussess:</b><br>PAZ 3265 22.3509015   | K   | 60.00   | 1      | 107 ccm |    |    |              |      |
| <b>Compressor for trucks:</b><br>MAZ 16.3509012<br>MAZ 16.3509012-20<br>Kraz 161.3509012<br>Kraz 161.3509012-20<br>BelAZ 540-3509015<br>UralAZ 157K-3509012<br>UralAZ 130K-3509012<br>UralAZ 157KD-3509012<br>Kamaz 5320-3509015<br>Kamaz 5320-3509015-10 | K   | 60.00   | 2      | 214 ccm |    |    |              |      |
| <b>Compressor for tractors</b><br>T 150 540-3509015<br>K 701 540-3509015<br>K 701 500-3509015-B1  | K   | 60.00   | 2      | 214 ccm |    |    |              |      |
| <b>Compressor for bussess:</b><br>LAZ 130-35090009-11   | K   | 60.00   | 2      | 214 ccm |    |    |              |      |
| <b>Compressor for</b><br>706 RT compressor<br>TATRA   | K   | 60.00   | 2<br>1 |         |    |    |              | 7    |
| <b>Compressor for</b><br>Westinghouse 187 P4, 79 P4 OM 355<br>Westinghouse 187 P4, 79 P4 OM 360   | K   | 60.00   | 1<br>2 |         |    |    |              | 8    |
| <b>Compressor for</b><br>Bosch SVKB 36 G2Z<br>OM 346<br>Westinghouse P4   | K   | 60.00   | 1      |         |    |    |              | 9    |
| <b>Compressor for</b><br>Volvo TD 121<br>Westinghouse, TU-FLO500  | K   | 63.50   | 2      |         |    |    |              | 10   |
| <b>Compressor for</b><br>Volvo TD 50,60,70,100,120,121<br>Westinghouse TU-FLO 500   | K   | 63.50   | 2      |         |    |    |              | 11   |
| <b>Compressor for Zetor</b>   | K   | 65.00   | 1      |         |    |    |              | 12   |
| <b>Compressor for UTB</b>   | K   | 65.00   | 1      |         |    |    |              | 13   |
| <b>Compressor for Renault Trucks</b>  | K   | 65.00   | 1      |         |    |    |              | 14   |
| <b>Compressor for Kalesan</b>   | K   | 66.68   | 1      |         |    |    |              | 15   |
| <b>Compressor for KP 67</b>   | K   | 67.50   | 1      |         |    |    |              | 16   |
| <b>Compressor for Fiat Marelli</b>  | K   | 70.00   | 1      |         |    |    |              | 17   |
| <b>Compressor for</b>   | K   | 70.00   | 1      |         |    |    |              | 18   |
| <b>Compressor for</b>   | K   | 70.00   | 1      |         |    |    |              | 19   |





# COMPRESSOR

|                      | B/D |  | Cyl.        | ccm | kW | PS | Compr. Ratio | Pos. |
|---|-----|---|-------------|-----|----|----|--------------|------|
| <b>Compressor for OM 312</b>  | K   | 70.00   | 1           |     |    |    |              | 20   |
| <b>Compressor for</b><br>DAF1160WS, Pegaso Troner, Volvo  | K   | 75.00   | 2           |     |    |    |              | 21   |
| <b>Compressor for</b><br>Bosch<br>Knorr-Bremse LK 15  | K   | 75.00   | 1           |     |    |    |              | 22   |
| <b>Compressor for</b><br>Saab-Scania DS 11, DS 14<br>Volvo TD 100<br>Westinghouse 15W 37 WB 15        | K   | 75.00   | 2           |     |    |    |              | 23   |
| <b>Compressor for</b><br>OM 366<br>ORLIK  | K   | 75.00   | 1           |     |    |    |              | 24   |
| <b>Compressor for</b><br>DAF 1160, 825<br>OM 360, OM 352A   | K   | 75.00   | 1           |     |    |    |              | 25   |
| Westinghouse  | K   | 75.00   | 2           |     |    |    |              | 26   |
| <b>Compressor for</b><br>KHD-Deutz<br>Westinghouse PT 237   | K   | 75.00   | 1,2         |     |    |    |              | 27   |
| <b>Compressor for D2156</b>   | K   | 75.00   | 2           |     |    |    |              | 28   |
| <b>Compressor for Knorr</b>   | K   | 78.00   | 1           |     |    |    |              | 30   |
| <b>Compressor for LP4827</b>  | K   | 78.00   | 1           |     |    |    |              | 30   |
| <b>Compressor for</b><br>Bosch, Daewoo, Hino<br>FV/DT DW 1/220/1<br>OM 355, Mitsubishi, Nisan, Toyota | K   | 80.00   | 1           |     |    |    |              | 31   |
| <b>Compressor for</b><br>Fiat 170, 190<br>Marelli AC 74/77  | K   | 80.00   | 1           |     |    |    |              | 32   |
| Compressor for EL 2   | K   | 80.00   | 2           |     |    |    |              | 33   |
| <b>Compressor for</b><br>ACX83<br>Bendix  | K   | 82.00   | 1           |     |    |    |              | 34   |
| <b>Compressor for</b><br>DAF 825, 1160<br>Westinghouse  | K   | 85.00   | 2           |     |    |    |              | 35   |
| <b>Compressor for</b><br>DAF 825, 1160<br>OM 904/906<br>Westinghouse                                  | K   | 85.00   | 2<br>1<br>2 |     |    |    |              | 36   |
| <b>Compressor for</b><br>Knorr LK 3904<br>MAN D 08<br>OM 355, 360, 366, 366A, 366LA                   | K   | 88.00   | 1           |     |    |    |              | 37   |
| <b>Compressor for</b><br>Knorr LK 3916<br>MAN D21<br>OM 355, 360A                                     | K   | 88.00   | 1           |     |    |    |              | 38   |
| <b>Compressor for</b><br>MAN D2555, 2566..<br>OM 401, 402, 403, 404<br>OM 407, 409, 421, 422, 447     | K   | 90.00   | 1           |     |    |    |              | 39   |
| <b>Compressor for</b><br>MAN D28<br>OM 400, 420, 440  | K   | 90.00   | 1           |     |    |    |              | 40   |



## COMPRESSOR

|    | B/D |  | Cyl. | ccm     | kW | PS | Compr. Ratio | Pos. |
|---|-----|---|------|---------|----|----|--------------|------|
| <b>Compressor for</b><br>Iveco<br>KHD   | K   | 90.00   | 1    |         |    |    |              | 41   |
| <b>Compressor for trucks:</b><br>MAZ 20.350915<br>Kraz 20.350915<br>BelAZ 20.350915<br>UralAZ 14.3509015-10<br>KamAZ 18.3509015 | K   | 92.00   | 1    | 306 ccm |    |    |              | 42   |
| <b>Compressor for busses:</b><br>IKARUS 260 IK 20.3509015<br>IKARUS 28 IK 20.3509015  | K   | 92.00   | 1    | 306 ccm |    |    |              |      |
| <b>Compressor for</b><br>OM314,352,352A,362LA,364,366   | K   | 94.00   | 1    |         |    |    |              | 43   |
| <b>Compressor for K 50</b>  | K   | 95.00   | 1    |         |    |    |              | 44   |
| <b>Compressor for</b><br>OM 442.971<br>OM 501/502/541/542 LA<br>MAN D 2840 LF20   | K   | 100.00  | 1    |         |    |    |              | 45   |
| <b>Compressor for EL 2</b>  | K   | 145.00  | 2    |         |    |    |              | 46   |
|   |     |   |      |         |    |    |              |      |



# COMPRESSOR

| 1                            | 2                            | 3                            | 4                                   | 5                       | 6                       | 7                            | 8        |
|------------------------------|------------------------------|------------------------------|-------------------------------------|-------------------------|-------------------------|------------------------------|----------|
|                              |                              |                              |                                     |                         |                         |                              |          |
| <b>Ø 50.00</b>               | <b>Compressor for KVP 25</b> |                              |                                     |                         |                         |                              | <b>1</b> |
| 1<br>50.00                   | GL 47.0<br>KH 25.0           | 12.00<br>42.00               | 005,P,STD<br>026,P,STD<br>032,P,STD | 2.000<br>2.000<br>3.000 | 2.100<br>2.100<br>2.100 |                              |          |
|                              |                              |                              |                                     |                         |                         |                              |          |
| 110-0046-000<br>110-0046-001 |                              | 210-0046-000<br>210-0046-000 | 320-0046-000<br>320-0046-001        | 50.00<br>50.80          |                         | 510-0046-000<br>510-0046-001 |          |
| <b>Ø 50.00</b>               | <b>Compressor</b>            |                              |                                     |                         |                         |                              | <b>2</b> |
| 1<br>50.00                   |                              |                              | 001,P,STD<br>023,P,STD<br>032,P,STD | 2.500<br>2.500<br>4.000 | 2.100<br>2.100<br>1.900 |                              |          |
|                              |                              |                              | 320-0060-000                        | 50.00                   |                         |                              |          |
| <b>Ø 52.00</b>               | <b>Compressor</b>            |                              |                                     |                         |                         |                              | <b>3</b> |
| 1<br>52.00                   |                              |                              | 026,P,STD<br>026,P,STD<br>032,P,STD | 2.500<br>2.500<br>4.000 | 2.400<br>2.400<br>2.400 |                              |          |
|                              |                              |                              | 320-0213-000                        | 52.00                   |                         |                              |          |
| <b>Ø 52.38</b>               | <b>Compressor</b>            |                              |                                     |                         |                         |                              | <b>4</b> |
| 1<br>52.38                   |                              |                              | 005,P,STD<br>005,P,STD<br>005,P,STD | 3.160<br>3.160<br>3.160 | 2.200<br>2.200<br>2.200 |                              |          |
|                              |                              |                              | 320-0080-000                        | 52.38                   |                         |                              |          |
| <b>Ø 55.00</b>               | <b>Compressor for KP 32</b>  |                              |                                     |                         |                         |                              | <b>5</b> |
| 1<br>55.00                   | GL 44.5<br>KH 20.2           | 12.00<br>42.00               |                                     |                         |                         |                              |          |
|                              |                              |                              |                                     |                         |                         |                              |          |
| 110-0030-000                 |                              |                              |                                     | 55.00                   |                         |                              |          |



# COMPRESSOR

| 1  | 2                  | 3  | 4  | 5                       | 6                       | 7  | 8        |
|--|--------------------|--|--|-------------------------|-------------------------|--|----------|
|  |                    |  |  |                         |                         |  |          |
| <b>Ø 60.00</b>                               |                    |  |  |                         |                         |  | <b>6</b> |
| <b>Compressor for trucks:</b>                |                    |  | K  | 1                       | 107 ccm                 |  |          |
| GAZ-66                                       | 66-02-4201010-10   |  |  |                         |                         |  |          |
| GAZ-66                                       | 66-02-4201270      |  |  |                         |                         |  |          |
| GAZ 4301                                     | 17.3509015         |  |  |                         |                         |  |          |
| GAZ 3306                                     | 17.3509015         |  |  |                         |                         |  |          |
| <b>Compressor for tractors</b>               |                    |  | K  | 1                       | 107 ccm                 |  |          |
| MTZ-80                                       | 27.3509015         |  |  |                         |                         |  |          |
| MTZ-82                                       | 27.3509015         |  |  |                         |                         |  |          |
| <b>Compressor for bussess:</b>               |                    |  | K  | 1                       | 107 ccm                 |  |          |
| PAZ 3265                                     | 22.3509015         |  |  |                         |                         |  |          |
| <b>Compressor for trucks:</b>                |                    |  | K  | 2                       | 214 ccm                 |  | 38 mm    |
| MAZ  | 16.3509012         |  |  |                         |                         |  |          |
| MAZ  | 16.3509012-20      |  |  |                         |                         |  |          |
| Kraz   | 161.3509012        |  |  |                         |                         |  |          |
| Kraz   | 161.3509012-20     |  |  |                         |                         |  |          |
| BelAZ  | 540-3509015        |  |  |                         |                         |  |          |
| UralAZ                                       | 157K-3509012       |  |  |                         |                         |  |          |
| UralAZ                                       | 130K-3509012       |  |  |                         |                         |  |          |
| UralAZ                                       | 157KD-3509012      |  |  |                         |                         |  |          |
| Kamaz  | 5320-3509015       |  |  |                         |                         |  |          |
| Kamaz  | 5320-3509015-10    |  |  |                         |                         |  |          |
| <b>Compressor for tractors</b>               |                    |  | K  | 2                       | 214 ccm                 |  | 38 mm    |
| T 150  | 540-3509015        |  |  |                         |                         |  |          |
| K 701  | 540-3509015        |  |  |                         |                         |  |          |
| K 701  | 500-3509015-B1     |  |  |                         |                         |  |          |
| <b>Compressor for bussess:</b>               |                    |  | K  | 2                       | 214 ccm                 |  | 38 mm    |
| LAZ  | 130-35090009-11    |  |  |                         |                         |  |          |
| 1<br>60.00<br>                               | GL 50.0<br>KH 25.0 | 12.50<br>53.00                               | 006,IF,P,GOE13<br>026,P,GOE13<br>032,P,GOE13 | 2.500<br>2.500<br>4.755 | 2.700<br>2.700<br>2.700 |  |          |
| 110-0679-000<br>110-0679-001                 |                    | 210-0679-000<br>210-0679-000                 | 320-0679-000<br>320-0679-001                 | 60.00<br>60.40          |                         | 510-0679-000<br>510-0679-001                 |          |
| <b>Ø 60.00</b>                               |                    |  |  |                         |                         |  | <b>7</b> |
| 706 RT compressor                            |                    |  | K  | 2                       |                         |  |          |
| TATRA  |                    |  | K  | 1                       |                         |  |          |
| 1/2<br>60.00<br>                             | GL 53.0<br>KH 32.0 | 18.00<br>49.50                               | 001,P,STD<br>023,P,STD<br>032,P,STD          | 2.500<br>2.500<br>4.000 | 2.550<br>2.550<br>2.550 |  |          |
| 110-0184-000<br>110-0184-001<br>110-0184-002 |                    | 210-0184-000<br>210-0184-000<br>210-0184-000 | 320-0184-000<br>320-0184-001<br>320-0184-002 | 60.00<br>60.50<br>61.00 |                         | 510-0184-000<br>510-0184-001<br>510-0184-002 |          |





# COMPRESSOR

| 1  | 2 | 3 | 4                   | 5     | 6             | 7 | 8 |
|--|---|---|---------------------|-------|---------------|---|---|
| <b>Ø 65.00</b> <span style="float: right;"><b>13</b></span><br>Compressor for UTB            |   |   |                     |       |               |   |   |
| 1  |   |   | K                   | 1     |               |   |   |
| 65.00  |   |   | 001,P,STD           | 2.500 | 2.500         |   |   |
|  |   |   | 026,P,STD           | 2.500 | 2.500         |   |   |
|  |   |   | 026,P,STD           | 2.500 | 2.500         |   |   |
|  |   |   | 030,P,STD           | 4.000 | 2.500         |   |   |
|  |   |   | <b>320-0500-000</b> |       | <b>65.00</b>  |   |   |
| <b>Ø 65.00</b> <span style="float: right;"><b>14</b></span><br>Compressor for Renault Trucks |   |   |                     |       |               |   |   |
| 1  |   |   | K                   | 1     |               |   |   |
| 65.00  |   |   | 026,P,STD           | 2.000 | 2.750         |   |   |
|  |   |   | 026,P,STD           | 2.000 | 2.750         |   |   |
|  |   |   | 232,P,STD           | 4.000 | 3.650         |   |   |
|  |   |   | <b>320-0631-000</b> |       | <b>65.00</b>  |   |   |
| <b>Ø 66.675</b> <span style="float: right;"><b>15</b></span><br>Compressor for Kalesan       |   |   |                     |       |               |   |   |
| 1  |   |   | K                   | 1     |               |   |   |
| 66.675   |   |   | 001,IW,STD          | 1.990 | 2.650         |   |   |
|  |   |   | 001,IW,STD          | 1.990 | 2.650         |   |   |
|  |   |   | 001,IW,STD          | 1.990 | 2.650         |   |   |
|  |   |   | 001,IW,STD          | 1.990 | 2.650         |   |   |
|  |   |   | 030,STD             | 3.960 | 2.650         |   |   |
|  |   |   | <b>320-0054-000</b> |       | <b>66.675</b> |   |   |
| <b>Ø 67.50</b> <span style="float: right;"><b>16</b></span><br>Compressor for KP 67          |   |   |                     |       |               |   |   |
| 1  |   |   | K                   | 1     |               |   |   |
| 67.50  |   |   | 001,P,STD           | 3.000 | 2.800         |   |   |
|  |   |   | 001,P,STD           | 3.000 | 2.800         |   |   |
|  |   |   | 030,P,STD           | 5.000 | 2.800         |   |   |
|  |   |   | <b>320-0045-000</b> |       | <b>67.500</b> |   |   |
|  |   |   | <b>320-0045-001</b> |       | <b>67.800</b> |   |   |
| <b>Ø 70.00</b> <span style="float: right;"><b>17</b></span><br>Compressor for Fiat Marelli   |   |   |                     |       |               |   |   |
| 1  |   |   | K                   | 1     |               |   |   |
| 70.00  |   |   | 005,P,STD           | 2.000 | 2.950         |   |   |
|  |   |   | 026,P,STD           | 2.000 | 2.950         |   |   |
|  |   |   | 032,P,STD           | 4.000 | 2.950         |   |   |
|  |   |   | <b>320-0632-000</b> |       | <b>70.000</b> |   |   |
|  |   |   | <b>320-0632-001</b> |       | <b>70.500</b> |   |   |
|  |   |   | <b>320-0632-002</b> |       | <b>71.000</b> |   |   |
| <b>Ø 70.00</b> <span style="float: right;"><b>18</b></span><br>Compressor                    |   |   |                     |       |               |   |   |
| 1  |   |   | K                   | 1     |               |   |   |
| 70.00  |   |   | 006,P,STD           | 3.000 | 3.000         |   |   |
|  |   |   | 026,P,STD           | 3.000 | 3.000         |   |   |
|  |   |   | 032,P,STD           | 4.000 | 2.950         |   |   |
|  |   |   | <b>320-0146-000</b> |       | <b>70.000</b> |   |   |



# COMPRESSOR

| 1   | 2 | 3 | 4                   | 5     | 6             | 7 | 8         |
|---|---|---|---------------------|-------|---------------|---|-----------|
|   |   |   |                     |       |               |   |           |
| 1   | 2 | 3 | 4                   | 5     | 6             | 7 | 8         |
| <b>Ø 70.00</b>  |   |   |                     |       |               |   | <b>19</b> |
| Compressor  |   | K | 1                   |       |               |   |           |
| 1   |   |   | 001,IF,P,STD        | 3.000 | 2.950         |   |           |
| 70.00   |   |   | 001,IF,P,STD        | 3.000 | 2.950         |   |           |
|   |   |   | 023,P,STD           | 3.000 | 2.950         |   |           |
|   |   |   | 032,P,STD           | 4.000 | 2.950         |   |           |
|   |   |   | <b>320-0408-000</b> |       | <b>70.000</b> |   |           |
| <b>Ø 70.00</b>  |   |   |                     |       |               |   | <b>20</b> |
| Compressor for OM 312   |   | K | 1                   |       |               |   |           |
| 1   |   |   | 001,IF,P,STD        | 2.000 | 2.950         |   |           |
| 70.00   |   |   | 001,IF,P,STD        | 2.000 | 2.950         |   |           |
|   |   |   | 023,P,STD           | 3.000 | 2.950         |   |           |
|   |   |   | 032,P,STD           | 4.000 | 2.950         |   |           |
|   |   |   | <b>320-0137-000</b> |       | <b>70.000</b> |   |           |
| <b>Ø 75.00</b>  |   |   |                     |       |               |   | <b>21</b> |
| Compressor for DAF1160WS, Pegaso Troner, Volvo                                  |   | K | 2                   |       |               |   |           |
| 2   |   |   | 026,P,STD           | 2.000 | 3.150         |   |           |
| 75.00   |   |   | 026,P,STD           | 2.000 | 3.150         |   |           |
|   |   |   | 031,P,STD           | 4.000 | 3.300         |   |           |
|   |   |   | <b>320-0432-000</b> |       | <b>75.000</b> |   |           |
|   |   |   | <b>320-0432-001</b> |       | <b>75.500</b> |   |           |
| <b>Ø 75.00</b>  |   |   |                     |       |               |   | <b>22</b> |
| Compressor for Bosch, Knorr-Bremse LK 15  |   | K | 1                   |       |               |   |           |
| 1   |   |   | 006,P,STD           | 2.000 | 3.150         |   |           |
| 75.00   |   |   | 026,P,STD           | 2.000 | 3.150         |   |           |
|   |   |   | 032,P,STD           | 4.000 | 3.150         |   |           |
|   |   |   | <b>320-0432-100</b> |       | <b>75.000</b> |   |           |
|   |   |   | <b>320-0432-101</b> |       | <b>75.500</b> |   |           |
| <b>Ø 75.00</b>  |   |   |                     |       |               |   | <b>23</b> |
| Compressor Westinghouse 15W 37 WB 15<br>Volvo TD 100<br>Saab-Scania DS 11,DS 14 |   | K | 2                   |       |               |   |           |
| 2   |   |   | 005,IF,P,GOE13      | 2.385 | 3.150         |   |           |
| 75.00   |   |   | 026,P,GOE13         | 2.385 | 3.150         |   |           |
|   |   |   | 032,P,GOE13         | 3.947 | 3.150         |   |           |
|   |   |   | <b>320-8007-000</b> |       | <b>75.00</b>  |   |           |
|   |   |   | <b>320-8007-001</b> |       | <b>75.25</b>  |   |           |
|   |   |   | <b>320-8007-002</b> |       | <b>75.50</b>  |   |           |
|   |   |   | <b>320-8007-003</b> |       | <b>75.75</b>  |   |           |





# COMPRESSOR

| 1  | 2 | 3 | 4  | 5 | 6 | 7 | 8         |
|--|---|---|--|---|---|---|-----------|
|  |   |   |  |   |   |   |           |
| <b>Ø 75.00</b>   |   |   |  |   |   |   | <b>24</b> |
| Compressor for<br>ORLIK K 1<br>OM 366 K 1                      |   |   |  |   |   |   |           |
| 1<br>75.00   |   |   | 023,P,STD 2.500 3.300<br>023,P,STD 2.500 3.300<br>023,P,STD 2.500 3.300<br>032,P,STD 4.000 3.150 |   |   |   |           |
|  |   |   | 320-0388-100 75.00<br>320-0388-101 75.50<br>320-0388-102 76.00                                   |   |   |   |           |
| <b>Ø 75.00</b>   |   |   |  |   |   |   | <b>25</b> |
| Compressor for<br>OM 360,OM 352A K 1<br>DAF 1160, 825 K 1      |   |   |  |   |   |   |           |
| 1<br>75.00   |   |   | 026,P,STD 3.000 3.000<br>026,P,STD 3.000 3.000<br>032,P,STD 5.000 3.000                          |   |   |   |           |
|  |   |   | 320-0221-100 75.00<br>320-0221-102 76.00   |   |   |   |           |
| <b>Ø 75.00</b>   |   |   |  |   |   |   | <b>26</b> |
| Compressor for<br>Westinghouse K 2                             |   |   |  |   |   |   |           |
| 2<br>75.00   |   |   | 006,P,STD 3.000 3.000<br>026,P,STD 3.000 3.000<br>032,P,STD 5.000 3.000                          |   |   |   |           |
|  |   |   | 320-0221-000 75.00<br>320-0221-002 76.00   |   |   |   |           |
| <b>Ø 75.00</b>   |   |   |  |   |   |   | <b>27</b> |
| Compressor for<br>Westinghouse PT 237 K 1,2<br>KHD-Deutz K 1,2 |   |   |  |   |   |   |           |
| 1,2<br>75.00   |   |   | 023,P,STD 3.000 3.150<br>023,P,STD 3.000 3.150<br>023,P,STD 3.000 3.150<br>032,P,STD 5.000 3.150 |   |   |   |           |
|  |   |   | 320-0129-000 75.00<br>320-0129-001 75.50   |   |   |   |           |



# COMPRESSOR

| 1   | 2                  | 3  | 4  | 5  | 6                                    | 7 | 8  |
|---|--------------------|--|--|--|--------------------------------------|---|--|
|   |                    |  |  |  |                                      |   |  |
| <b>Ø 75.00</b>  |                    |  |  |  |                                      |   | <b>28</b>  |
| Compressor for D2156  |                    |  |  |  |                                      |   |  |
|   |                    |  | K  | 2  |                                      |   |  |
| 2<br>75.00  | GL 60.0<br>KH 28.0 | 16.00<br>65.50   | 001,P,STD<br>001,P,STD<br>023,P,STD<br>032,P,STD | 2.500 3.300<br>2.500 3.300<br>2.500 3.300<br>4.000 3.150     |                                      |   |  |
|   |                    |  |  |  |                                      |   |  |
| 110-0038-000<br>110-0038-001<br>110-0038-002<br>110-0038-003                          |                    | 210-0038-000<br>210-0038-000<br>210-0038-000<br>210-0038-000 |  | 320-0388-000<br>320-0388-001<br>320-0388-002<br>320-0388-003 | 75.000<br>75.500<br>76.000<br>76.500 |   | 510-0038-000<br>510-0038-001<br>510-0038-002<br>510-0038-003 |
| <b>Ø 77.00</b>  |                    |  |  |  |                                      |   | <b>29</b>  |
| Compressor for OM 312,314,321,352A  |                    |  |  |  |                                      |   |  |
|   |                    |  | K  | 1  |                                      |   |  |
| 1<br>77.00  |                    |  | 005,P,STD<br>005,P,STD<br>023,P,STD<br>231,P,STD | 2.500 3.200<br>2.500 3.200<br>3.000 3.200<br>4.000 3.950     |                                      |   |  |
|   |                    |  |  | 320-0569-000   | 77.00                                |   |  |
| <b>Ø 78.00</b>  |                    |  |  |  |                                      |   | <b>30</b>  |
| Compressor for Knor LP4827  |                    |  |  |  |                                      |   |  |
|   |                    |  | K  | 1  |                                      |   |  |
| 1<br>78.00  |                    |  | 026,P,STD<br>026,P,STD<br>032,P,STD              | 2.500 3.300<br>2.500 3.300<br>4.000 3.300                    |                                      |   |  |
|   |                    |  |  | 320-0633-000   | 78.00                                |   |  |
| <b>Ø 80.00</b>  |                    |  |  |  |                                      |   | <b>31</b>  |
| Compressor for Bosch, Daewoo, Hino FV/DT DW 1/220/1 OM 355, Mitsubishi, Nisan, Toyota |                    |  |  |  |                                      |   |  |
|   |                    |  | K  | 1  |                                      |   |  |
| 1<br>80.00  |                    |  | 023,P,STD<br>023,P,STD<br>023,P,STD<br>032,P,STD | 2.500 3.350<br>2.500 3.350<br>2.500 3.350<br>4.000 3.350     |                                      |   |  |
|   |                    |  |  | 320-0526-000   | 80.00                                |   |  |
| <b>Ø 80.00</b>  |                    |  |  |  |                                      |   | <b>32</b>  |
| Compressor for Marelli AC 74/77 Fiat 170,190  |                    |  |  |  |                                      |   |  |
|   |                    |  | K  | 1  |                                      |   |  |
| 1<br>80.00  |                    |  | 026,P,STD<br>026,P,STD<br>032,P,STD              | 2.000 3.350<br>2.000 3.350<br>4.000 3.350                    |                                      |   |  |
|   |                    |  |  | 320-0634-000   | 80.00                                |   |  |



# COMPRESSOR

| 1   | 2       | 3                   | 4            | 5                   | 6            | 7 | 8                   |
|---|---------|---------------------|--------------|---------------------|--------------|---|---------------------|
|   |         |                     |              |                     |              |   |                     |
| <b>Ø 80.00</b>                                      |         |                     |              |                     |              |   | <b>33</b>           |
| Compressor for EL 2                                 |         |                     |              |                     |              |   |                     |
|   |         |                     | K            | 2                   |              |   |                     |
| 2   | GL 95.0 | 28.00               | 001,P,STD    | 2.500               | 3.350        |   |                     |
| 80.00   | KH 50.0 | 66.50               | 001,P,STD    | 2.500               | 3.350        |   |                     |
|   |         |                     | 001,P,STD    | 2.500               | 3.350        |   |                     |
|   |         |                     | 030,P,STD    | 5.000               | 3.350        |   |                     |
|   |         |                     | 030,P,STD    | 5.000               | 3.350        |   |                     |
| <b>110-0181-000</b>                                 |         | <b>210-0181-000</b> |              | <b>320-0181-000</b> | <b>80.00</b> |   | <b>510-0181-000</b> |
| <b>110-0181-001</b>                                 |         | <b>210-0181-000</b> |              | <b>320-0181-001</b> | <b>80.50</b> |   | <b>510-0181-001</b> |
| <b>110-0181-002</b>                                 |         | <b>210-0181-000</b> |              | <b>320-0181-002</b> | <b>81.00</b> |   | <b>510-0181-002</b> |
| <b>Ø 82.00</b>                                      |         |                     |              |                     |              |   | <b>34</b>           |
| Compressor for Bendix ACX83                         |         |                     |              |                     |              |   |                     |
|   |         |                     | K            | 1                   |              |   |                     |
| 1   |         |                     | 005,P,STD    | 2.500               | 3.450        |   |                     |
| 82.00   |         |                     | 023,P,STD    | 2.500               | 3.450        |   |                     |
|   |         |                     | 032,P,STD    | 4.000               | 3.600        |   |                     |
|   |         |                     |              | <b>320-0635-000</b> | <b>82.00</b> |   |                     |
|   |         |                     |              | <b>320-0635-001</b> | <b>82.50</b> |   |                     |
| <b>Ø 85.00</b>                                      |         |                     |              |                     |              |   | <b>35</b>           |
| Compressor for Westinghouse DAF 825,1160            |         |                     |              |                     |              |   |                     |
|   |         |                     | K            | 2                   |              |   |                     |
| 2   |         |                     | 005,IF,P,STD | 2.000               | 3.600        |   |                     |
| 85.00   |         |                     | 005,IF,P,STD | 2.000               | 3.600        |   |                     |
|   |         |                     | 005,IF,P,STD | 2.000               | 3.600        |   |                     |
|   |         |                     | 031,P,STD    | 4.747               | 3.600        |   |                     |
|   |         |                     |              | <b>320-0570-000</b> | <b>85.00</b> |   |                     |
| <b>Ø 85.00</b>                                      |         |                     |              |                     |              |   | <b>36</b>           |
| Compressor for OM 904/906 Westinghouse DAF 825,1160 |         |                     |              |                     |              |   |                     |
|   |         |                     | K            | 1                   |              |   |                     |
| 2   |         |                     | 026,P,STD    | 2.000               | 3.600        |   |                     |
| 85.00   |         |                     | 026,P,STD    | 2.000               | 3.600        |   |                     |
|   |         |                     | 032,P,STD    | 4.000               | 3.600        |   |                     |
|   |         |                     |              | <b>320-0527-000</b> | <b>85.00</b> |   |                     |
|   |         |                     |              | <b>320-0527-001</b> | <b>85.50</b> |   |                     |



# COMPRESSOR

| 1                          | 2                  | 3                   | 4                   | 5     | 6     | 7            | 8                   |
|----------------------------|--------------------|---------------------|---------------------|-------|-------|--------------|---------------------|
|                            |                    |                     |                     |       |       |              |                     |
| <b>Ø 88.00</b>             |                    |                     |                     |       |       |              | <b>37</b>           |
| Compressor for             |                    |                     |                     |       |       |              |                     |
| OM 355, 360,366,366A,366LA |                    |                     | K                   | 1     |       |              |                     |
| MAN D 08                   |                    |                     | K                   | 1     |       |              |                     |
| Knorr LK 3904              |                    |                     | K                   | 1     |       |              |                     |
| 1<br>88.00                 |                    |                     | 026,P,STD           | 2.500 | 3.700 |              |                     |
|                            |                    |                     | 026,P,STD           | 2.500 | 3.700 |              |                     |
|                            |                    |                     | 032,P,STD           | 4.000 | 3.700 |              |                     |
|                            |                    |                     | <b>320-0305-000</b> |       |       | <b>88.00</b> |                     |
|                            |                    |                     | <b>320-0305-002</b> |       |       | <b>89.00</b> |                     |
| <b>Ø 88.00</b>             |                    |                     |                     |       |       |              | <b>38</b>           |
| Compressor for             |                    |                     |                     |       |       |              |                     |
| OM 355,360A                |                    |                     | K                   | 1     |       |              |                     |
| MAN D21                    |                    |                     | K                   | 1     |       |              |                     |
| Knorr LK 3916              |                    |                     | K                   | 1     |       |              |                     |
| 1<br>88.00                 |                    |                     | 026,IF,P,STD        | 2.000 | 3.800 |              |                     |
|                            |                    |                     | 026,IF,P,STD        | 2.000 | 3.800 |              |                     |
|                            |                    |                     | 026,P,STD           | 2.500 | 3.800 |              |                     |
|                            |                    |                     | 030,P,STD           | 5.000 | 3.800 |              |                     |
|                            |                    |                     | <b>320-0502-000</b> |       |       | <b>88.00</b> |                     |
| <b>Ø 90.00</b>             |                    |                     |                     |       |       |              | <b>39</b>           |
| Compressor for             |                    |                     |                     |       |       |              |                     |
| MAN D2555, 2566..          |                    | 1975→               | K                   | 1     |       |              |                     |
| OM 401,402,403,404,        |                    | 1975→               | K                   | 1     |       |              |                     |
| 407,409,421,422, 447       |                    |                     |                     |       |       |              |                     |
| 1<br>90.00                 | GL 57.5<br>KH 35.0 | 20.00<br>60.00      | 005,P,STD           | 2.500 | 3.800 |              |                     |
|                            | P                  |                     | 023,P,STD           | 2.500 | 3.800 |              |                     |
|                            |                    |                     | 232,P,STD           | 4.000 | 4.250 |              |                     |
| <b>110-0246-000</b>        |                    | <b>210-0246-000</b> | <b>320-0246-000</b> |       |       | <b>90.00</b> | <b>510-0246-000</b> |
| <b>110-0246-001</b>        |                    | <b>210-0246-000</b> | <b>320-0246-001</b> |       |       | <b>90.50</b> | <b>510-0246-001</b> |
| <b>110-0246-002</b>        |                    | <b>210-0246-000</b> | <b>320-0246-002</b> |       |       | <b>91.00</b> | <b>510-0246-002</b> |
| 1<br>90.00                 |                    |                     | 023,P,STD           | 2.500 | 3.800 |              |                     |
|                            |                    |                     | 023,P,STD           | 2.500 | 3.800 |              |                     |
|                            |                    |                     | 231,P,STD           | 4.000 | 4.250 |              |                     |
| <b>110-0246-000</b>        |                    | <b>210-0246-000</b> | <b>320-0246-100</b> |       |       | <b>90.00</b> | <b>510-0246-100</b> |
| <b>Ø 90.00</b>             |                    |                     |                     |       |       |              | <b>40</b>           |
| Compressor for             |                    |                     |                     |       |       |              |                     |
| OM 400,420,440             |                    |                     | K                   | 1     |       |              |                     |
| MAN D28                    |                    |                     | K                   | 1     |       |              |                     |
| 1<br>90.00                 |                    |                     | 005,P,STD           | 2.500 | 3.800 |              |                     |
|                            |                    |                     | 023,P,STD           | 2.500 | 3.800 |              |                     |
|                            |                    |                     | 023,P,STD           | 2.500 | 3.800 |              |                     |
|                            |                    |                     | 232,P,STD           | 4.000 | 4.250 |              |                     |
|                            |                    |                     | <b>320-0426-200</b> |       |       | <b>90.00</b> |                     |



# COMPRESSOR

| 1                              | 2             | 3                   | 4                   | 5     | 6            | 7 | 8                   |
|--------------------------------|---------------|---------------------|---------------------|-------|--------------|---|---------------------|
|                                |               |                     |                     |       |              |   |                     |
| <b>Ø 90.00</b>                 |               |                     |                     |       |              |   | <b>41</b>           |
| Compressor for                 |               |                     |                     |       |              |   |                     |
| Iveco                          |               |                     | K                   | 1     |              |   |                     |
| KHD                            |               |                     | K                   | 1     |              |   |                     |
| 1                              |               |                     | 005,IF,P,STD        | 2.500 | 3.800        |   |                     |
| 90.00                          |               |                     | 023,P,STD           | 2.500 | 3.800        |   |                     |
|                                |               |                     | 032,P,STD           | 5.000 | 3.800        |   |                     |
|                                |               |                     | <b>320-0571-000</b> |       | <b>90.00</b> |   |                     |
| <b>Ø 92.00</b>                 |               |                     |                     |       |              |   | <b>42</b>           |
| <b>Compressor for trucks:</b>  |               |                     |                     |       |              |   |                     |
|                                |               |                     | K                   | 1     | 306 ccm      |   | 46 mm               |
| MAZ                            | 20.350915     |                     |                     |       |              |   |                     |
| Kraz                           | 20.350915     |                     |                     |       |              |   |                     |
| BelAZ                          | 20.350915     |                     |                     |       |              |   |                     |
| UralAZ                         | 14.3509015-10 |                     |                     |       |              |   |                     |
| KamAZ                          | 18.3509015    |                     |                     |       |              |   |                     |
| <b>Compressor for bussess:</b> |               |                     |                     |       |              |   |                     |
|                                |               |                     | K                   | 1     | 306 ccm      |   | 46 mm               |
| IKARUS 260                     | IK 20.3509015 |                     |                     |       |              |   |                     |
| IKARUS 28                      | IK 20.3509015 |                     |                     |       |              |   |                     |
| 1                              | GL 68.0       | 18.00               | 026,P,GOE13         | 2.500 | 3.900        |   |                     |
| 92.00                          | KH 31.0       | 63.00               | 026,P,GOE13         | 2.500 | 3.900        |   |                     |
|                                |               |                     | 032,P,GOE13         | 4.000 | 3.900        |   |                     |
|                                |               |                     |                     |       |              |   |                     |
|                                |               |                     |                     |       |              |   |                     |
| <b>110-0678-000</b>            |               | <b>210-0678-000</b> | <b>320-0678-000</b> |       | <b>92.00</b> |   | <b>510-0678-000</b> |
| <b>Ø 94.00</b>                 |               |                     |                     |       |              |   | <b>43</b>           |
| Compressor for                 |               |                     |                     |       |              |   |                     |
| OM314,352,352A,362LA,364,366   |               |                     | K                   | 1     |              |   |                     |
| 1                              |               |                     | 026,P,STD           | 2.500 | 3.950        |   |                     |
| 94.00                          |               |                     | 026,P,STD           | 2.500 | 3.950        |   |                     |
|                                |               |                     | 026,P,STD           | 2.500 | 3.950        |   |                     |
|                                |               |                     | <b>320-0642-000</b> |       | <b>94.00</b> |   |                     |
|                                |               |                     | <b>320-0642-001</b> |       | <b>94.50</b> |   |                     |
|                                |               |                     | <b>320-0642-002</b> |       | <b>95.00</b> |   |                     |
| 1                              |               |                     | 023,IF,P,STD        | 2.500 | 3.950        |   |                     |
| 94.00                          |               |                     | 023,IF,P,STD        | 2.500 | 3.950        |   |                     |
|                                |               |                     | 023,IF,P,STD        | 2.500 | 3.950        |   |                     |
|                                |               |                     | <b>320-0642-100</b> |       | <b>94.00</b> |   |                     |
| <b>Ø 95.00</b>                 |               |                     |                     |       |              |   | <b>44</b>           |
| Compressor for                 |               |                     |                     |       |              |   |                     |
| K 50                           |               |                     | K                   | 1     |              |   |                     |
| 1                              |               |                     | 005,P,STD           | 3.000 | 4.000        |   |                     |
| 95.00                          |               |                     | 023,P,STD           | 3.000 | 4.000        |   |                     |
|                                |               |                     | 032,P,STD           | 5.000 | 4.000        |   |                     |
|                                |               |                     | <b>320-0573-000</b> |       | <b>95.00</b> |   |                     |



# COMPRESSOR

| 1  | 2                           | 3   |   |  | 5   | 6 | 7   | 8         |
|--|-----------------------------|---|---|--|---|---|---|-----------|
|  |                             |   |   |  |   |   |   |           |
| <b>Ø 100.00</b>  |                             |   |   |  |   |   |   | <b>45</b> |
| Compressor for<br>MB OM 442.971, OM 501/502/541/542 LA<br>MAN D 2840 LF20            |                             |   |   |  |   |   |   |           |
|  |                             |   | K   | 1  |   |   |   |           |
|  |                             |   | K   | 1  |   |   |   |           |
| 1<br>100.00<br><br><b>110-0944-000</b>   | GL 52.2<br>KH 30.4<br><br>G | 20.00<br>50.00  | 005,IF,P,GOE44<br>026,P,GOE44<br>232,P,GOE13                      | 2.500 4.100<br>2.500 4.100<br>3.000 3.950                |   |   |   |           |
|  |                             | <b>210-0944-000</b>   | <b>320-0695-000</b>   |  | <b>100.00</b>                                   |   | <b>510-0944-000</b>   |           |
| <b>Ø 145.00</b>  |                             |   |   |  |   |   |   |           |
| Compressor for<br>EL 2   |                             |   |   |  |   |   |   |           |
|  |                             |   | K   | 2  |   |   |   |           |
| 2<br>145.00<br><br><b>110-0180-000</b><br><b>110-0180-001</b><br><b>110-0180-002</b> | GL 110.0<br>KH 50.0         | 28.00<br>129.50   | 001,P,STD<br>001,P,STD<br>030,P,STD<br>030,P,STD                  | 3.000 5.900<br>3.000 5.900<br>6.000 5.900<br>6.000 5.900 |   |   |   |           |
|  |                             | <b>210-0180-000</b><br><b>210-0180-000</b><br><b>210-0180-000</b> | <b>320-0180-000</b><br><b>320-0180-001</b><br><b>320-0180-002</b> |  | <b>145.00</b><br><b>145.50</b><br><b>146.00</b> |   | <b>510-0180-000</b><br><b>510-0180-001</b><br><b>510-0180-002</b> |           |